


2024 Catalogue



ICONICA 74

	<i>74</i>
4	PIVA GROUP
6	WELCOME
9	ICONICA74
10	TRAITS
12	FINISHES
16	JOINT - Frame-Sash
17	JOINT - Sash Central Overlap
22	HANDLES
24	COLOURS
26	TECHNICAL ASPECTS




TOUR  
OF THE PLANTS

4 | 74  
**PIVA GROUP**  
an all-Italian story

Founded in Italy in 1986, Piva Group started out in the building sector, producing insulated panels as well as windows and doors in a variety of materials, including aluminium and PVC.

In its relentless quest for new techniques for developing innovative products, Piva Group has earned renown not only in Italy but also on the international markets, where branches have been opened in the USA, Spain and the Czech Republic. Today our company has a prestigious reputation in the building sector thanks to its versatile production range, the high quality of its proposed solutions and its considerable experience.

The company is always poised to satisfy the needs of its customers and "Future" is its watchword.



# THE NEXT GENERATION OF DOORS AND WINDOWS

6 | <sup>74</sup>  
**WELCOME**  
to Iconica74, the window that illuminates



ICONICA74 RANGE

# 9 | 74 ICONICA74

the window that illuminates

The design challenge facing today's construction sector revolves around light: the size and clarity of the glass surfaces are defining elements that add value to a building.

That's why doors and windows tend to have increasingly slimmer and more harmonious profiles, enabling them to blend into a variety of architectural compositions; they are no longer mere frames but innovative solutions combining technology and aesthetics, resulting in versatile design and an intelligent use of spaces.

The Piva Group answer is **Iconica74**, the new generation of PVC doors and windows designed to maximise natural light, while blending minimalist design and excellent performances to perfection, eliminating visual barriers and enhancing living comfort to the highest degree.

# 10<sup>74</sup> TRAITS

that shape our character

**6** The profile's chambers  
The core of the frame consists of six chambers that guarantee extraordinary performances and unprecedented thermal and sound insulation properties.

**3** The number of seals, for an un-conventional door or window  
For people with a pragmatic attitude, there are 3 pre-inserted seals on the frame and sash in addition to STV glass seals. Extraordinary energy saving potential, superlative mechanical resistance and multi-faceted versatility.

**74** mm - The perfect depth for a frame  
Increasingly slimmer profiles to maximise the amount of light and ever larger glass surfaces for added brightness in indoor spaces, which merge with the outdoor view.

**32** or 49 mm glass thickness  
Millimetres that can be comprised in the system with structural bonding on the entire range.

**1.0** W/m<sup>2</sup>K - The impact on the environment  
Thermal insulation is one of the pillars of a house's sustainability: doors and windows contribute by around 40% to trapping heat inside a building. Having good-quality doors and windows reduces heat dispersion and helps the environment.

**88** mm central joint, which sets us apart  
Its reduced construction depth makes Iconica74 suited to a variety of projects involving both new buildings and the restructuring sector.

# 12 | 74 FINISHES

that make us iconic

Lack of internal glazing bead for uniform lines.

Wide range of external finishes in terms of both shade and materials.

## 74

### PVC/PVC FOR A "TOTAL COLOUR" IMPACT

Colour matching with the frame and double or triple glazing.

## 74

### PVC/ALUMINIUM FOR A MODERN-LOOKING AND BOLD RANGE

Lack of glazing bead, with double or triple glazing.

## 74

### TOTAL GLASS FOR THE UTMOST ELEGANCE

External finish screen-printed directly on the glass and possible addition of a double sheet.

PVC / PVC



PVC / ALUMINIUM




TOTAL GLASS



PVC / PVC





PVC / PVC




PVC / ALUMINIUM



PVC / ALUMINIUM



TOTAL GLASS



TOTAL GLASS



FINISHES



# 16<sup>74</sup> JOINT

Frame-Sash

# 17<sup>74</sup> JOINT

Sash Central Overlap



ICONICA74 FRAME-SASH JOINT  
96 mm  
+13% OF TRANSPARENT SURFACE

FRAME-SASH JOINT FOR STANDARD WINDOW  
110 mm



STANDARD  
SASH CENTRAL OVERLAP  
152 mm

ICONICA74  
SASH CENTRAL OVERLAP  
124 mm  
+19% OF TRANSPARENT  
SURFACE

ICONICA74  
SASH CENTRAL OVERLAP  
88 mm  
+42% OF TRANSPARENT  
SURFACE



one-sash window



two-sash window

one-leaf French door



two-leaf French door





sashes with same dimensions/glazed surface

balanced forms

SYMMETRICAL  
CENTRAL  
JOINT



non-symmetrical sashes

larger glazed surface

ASYMMETRICAL  
CENTRAL  
JOINT



# 22<sup>74</sup> HANDLES

each door or window has its own


Handles are actual design elements capable of defining the style of a door or window and the home's indoor environment. For Iconica74 it is possible to choose a handle with compact and minimalist lines, no longer inserted in a rosette connected to the handle lever, but attached directly to the door or window profile.



HANDLES



**00**  
white  
mass-finished



**4565057**  
brilliant  
white



**4563081**  
sheffield  
whitened  
oak



**701205**  
basalt  
grey




**12/22**  
golden  
oak



**2178007**  
walnut



**7016097**  
regular  
anthracite  
grey



Consult the reference colour swatch to see how the colours are grouped into Standard and Non-Standard.


# 24<sup>74</sup> COLOURS

that make us iconic

Colours embellish, complete, surround, define and enhance, so our range of colours includes a studied selection of finishes to choose from in total freedom, for a combination of functional and customisable architectural styles.

# 26 | 74 TECHNICAL ASPECTS

Cross-sections



SPECIFICATIONS	
Thermal transmittance in $W/m^2K$	Uf. 1.0 $W/m^2K$
Acoustic insulation in dB	Up to 46 dB according to EN 14351
Wind load resistance class	Up to C3/B4
Water-resistance class	Up to 8A
Air permeability class	Class 4





Piva Group S.p.A.  
Via Roma, 139 - Roncanova di Gazzo V.se (VR) - Italy  
Tel. +39 0442 536111 - info@pivagroupspa.com  
www.pivagroupspa.com





**PIVA GROUP SPA**

Via Roma, 139  
Roncanova di Gazzo V.se  
Verona - Italia  
Tel. +39 0442 536111  
[info@pivagroupspa.com](mailto:info@pivagroupspa.com)

[www.pivagroupspa.com](http://www.pivagroupspa.com)